# SuperCities and SuperGrids: A Vision for Long-term Sustainable and Environmentally Compatible Energy

#### Paul M. Grant

EPRI Science Fellow (*retired*)
IBM Research Staff Member Emeritus
Principal, W2AGZ Technologies

w2agz@pacbell.net www.w2agz.com

Fuel Cell and Hydrogen Energy Seminar
15 December 2004
CLP Research Institute
Hong Kong, PRC (SAR)

# Journey to the West





Paul Grant goes to China seeking wisdom...


# Epiphanies Undergone...


"I have seen the future...and it works!"

Lincoln Steffens, 1920

"A wise Communist will not be afraid of learning from a capitalist."

V. I. Lenin, 1922







**Xue Yuyang** 



Yao Ming






# US Energy Consumption (2001)

Energy Source	Percentage of total		
Petroleum	42%		
Coal	24%		
Natural Gas	20%		
Nuclear	8%		
Hydro power	2%		
Solar, Wind, etc.	2%		


# US Oil Imports (2003)



#### Hydrogen for US Surface Transportation

The "25% 80-80-80 400 GW" Scenario

http://www.w2agz.com



#### Hydrogen for US Surface Transportation

The "25% 80-80-80 400 GW" Scenario http://www.w2agz.com

Renewable Land Area Requirements			
Technology	Area (km²)	Equivalent	
Wind	130,000	New York State	
Solar	20,000	50% Denmark	
		Death Valley + Mojave	
Biomass	271,915	3% USA	
		State of Nevada	

#### China-USA Electricity Statistics (2001)


Source (CIA & EIA)

Production Source (%)	China	USA (NA)
Fossil	80.2	71.4 (15% NG)
Hydro	18.5	5.6
Other	0.1	2.3
Nuclear	1.2	20.0
Annual Producton (TkWh)	1.42	3.72

#### China – Installed Generation Capacity

7%/year increasing (now > 380 GW)

根据预测,2010年将达到6.5亿千瓦左右,2020年达到9.5亿千瓦左右。



电荒, 2004年中国仲夏夜之恶梦 Electrical power shortage (30GW), the midsummer nightmare of 2004.



2月全国发电量1581.77亿千瓦时(日均发电量54.54亿千瓦时),比上年同期增长31.36%。

全国发电装机容量已达3.85亿千瓦,在建电力项目1.3亿千瓦。

#### Capacity 385GW,

Shortage 30GW,

线损率 line losses 7% (Three Gorges Project: 18 GW)

130GW under construction

It is said that 2006 could be better

#### Could be worse

#### China "Factoid"

- Current Population: 1.3 Billion Souls
- All want to live like Americans
- Chinese Family Priorities:
  - (1) TV, (2) Washer, (3) Fridge...
  - Next an Air Conditioner (200 USD, 1 kW)
- Assume an average family size of three, then...

An extra 500 GW of generation capacity must be added just to keep them cool!


# China-USA Recoverable Coal Reserves (2002)

	Million Short Tons	Years Left*
China	126,215	273
USA (NA)	280,464	309

• One Short Ton = 6150 kWh

Efficiency Conversion – 40%

# US Natural Gas Imports (BCF, 2003)



### The 21st Century Energy Challenge

Design a communal energy economy to meet the needs of a densely populated industrialized world that reaches all corners of Planet Earth.

Accomplish this within the highest levels of environmental, esthetic, safe, reliable, efficient and secure engineering practice possible.

...without requiring any new scientific discoveries or breakthroughs!

# "Boundary Conditions"


#### Its Solution

A Symbiosis of

Nuclear/Hydrogen/Superconductivity

Technologies supplying Carbon-free, Non-Intrusive Energy for all Inhabitants of Planet Earth

# Past & Future Energy Supply





# The Hydrogen Economy






- You have to make it, just like electricity
- Electricity can make H<sub>2</sub>, and H<sub>2</sub> can make electricity (2H<sub>2</sub>O ⇔ 2H<sub>2</sub> + O<sub>2</sub>)
- You have to make a lot of it
- You can make it cold, 419 F (21 K)

P.M. Grant, "Hydrogen lifts off...with a heavy load," Nature 424, 129 (2003)

# SuperCity



P.M. Grant, The Industrial Physicist, Feb/March Issue, 2002

## Reading Assignment


- 1. Garwin and Matisoo, 1967 (100 GW on Nb<sub>3</sub>Sn)
- 2. <u>Bartlit, Edeskuty and Hammel</u>, 1972 (LH<sub>2</sub>, LNG and 1 GW on LTSC)
- 3. Haney and Hammond, 1977 (Slush LH<sub>2</sub> and Nb<sub>3</sub>Ge)
- 4. Schoenung, Hassenzahl and Grant, 1997 (5 GW on HTSC, 1000 km)
- 5. Grant, 2002 (SuperCity, Nukes+LH<sub>2</sub>+HTSC)
- 6. **Proceedings**, SuperGrid Workshop, 2002

These articles, <u>and much more</u>, can be found at <u>www.w2agz.com</u>, sub-pages <u>SuperGrid/Bibliography</u>


# Diablo Canyon



#### California Coast Power




#### Co-Production of Hydrogen and Electricity




Source: INEL & General Atomics

#### Nuclear "Hydricity" Production Farm




Source: General Atomics

# The Discovery of Superconductivity




Leiden, 1914




Zürich, 1986


# T<sub>c</sub> vs Year: 1991 - 2001



#### HTSC Wire Can Be Made!




# Finished Cable





# Innost/Innopower Cable



Former ID/OD(with Braiding):

30/35 mm

Layers of HTS tape:

4

Number of HTS tape:

90(21,24,24,21)

Ic of HTS tape:

60-80 A (77K, self field)

ID/OD of cryostat:

43/70 mm

Dielectric material:

XLPE

Thickness of dielectric:

11.9mm

Overall linear specific weight:

9.2kg/m

# Puji Substation (Kunming City)



### Reading Assignment

- 1. Garwin and Matisoo, 1967 (100 GW on Nb<sub>3</sub>Sn)
- 2. <u>Bartlit, Edeskuty and Hammel</u>, 1972 (LH<sub>2</sub>, LNG and 1 GW on LTSC)
- 3. Haney and Hammond, 1977 (Slush LH<sub>2</sub> and Nb<sub>3</sub>Ge)
- 4. Schoenung, Hassenzahl and Grant, 1997 (5 GW on HTSC, 1000 km)
- 5. Grant, 2002 (SuperCity, Nukes+LH<sub>2</sub>+HTSC)
- 6. **Proceedings**, SuperGrid Workshop, 2002

These articles, <u>and much more</u>, can be found at <u>www.w2agz.com</u>, sub-pages <u>SuperGrid/Bibliography</u>

### 1967: SC Cable Proposed!

538


PROCEEDINGS OF THE IEEE, VOL. 55, NO. 4, APRIL 1967

Superconducting Lines for the Transmission

of Large Amounts of Electrical Power

over Great Distances

R. L. GARWIN AND J. MATISOO




He return

Superconductive
Cable
Plastic
Electrical
Insulation
Concrete


Fig. 1. Cross section of the 100-GW line.

100 GW dc, 1000 km!

### "Hydricity" SuperCables



### SuperCable



### Power Flows

```
P_{SC} = 2|V|JA_{SC}, where
```

#### **Electricity**

 $P_{SC}$  = Electric power flow

V = Voltage to neutral (ground)

J = Supercurrent density

 $A_{SC}$  = Cross-sectional area of superconducting annulus

```
P_{H2} = 2(Q\rho vA)_{H2}, where
```

#### <u>Hydrogen</u>

 $P_{H2}$  = Chemical power flow


Q = Gibbs  $H_2$  oxidation energy (2.46 eV per mol  $H_2$ )

 $\rho = H_2$  Density

 $v = H_2$  Flow Rate

A = Cross-sectional area of  $H_2$  cryotube

### Power Flows: 5 GW<sub>e</sub>/10 GW<sub>th</sub>



### Radiation Losses

```
W_R = 0.5 \epsilon \sigma (T_{amb}^4 - T_{SC}^4), where W_R = Power radiated in as watts/unit area <math>\sigma = 5.67 \times 10^{-12} W/cm<sup>2</sup>K<sup>4</sup> T_{amb} = 300 K T_{SC} = 20 K \epsilon = 0.05 per inner and outer tube surface D_H = 45.3 cm W_R = 16.3 W/m
```

Superinsulation:  $W_R^f = W_R/(n-1)$ , where n = number of layers = 10Net Heat In-Leak Due to Radiation = 1.8 W/m

### Fluid Friction Losses

$$p_{loss} = \lambda \; (l \, / \, d_h) \; (\rho \; v^2 \, / \, 2)$$

where

 $p_{loss}$  = pressure loss (Pa, N/m<sup>2</sup>)


 $\lambda$  = friction coefficient

/ = length of duct or pipe (m)

 $d_k$  = hydraulic diameter (m)

$$W_{loss} = M P_{loss} / \rho$$
,

Where M = mass flow per unit length  $P_{loss} =$  pressure loss per unit length  $\rho =$  fluid density



Fluid	Re	ε(pmn)	D <sub>H</sub> (cm)	v (m/s)	∆P (atm/10 km)	Power Loss (W/m)
H (20K)	2.08 x 10 <sup>6</sup>	0.015	45.3	4.76	2.0	3.2

### Heat Removal

 $dT/dx = W_T/(\rho v C_P A)_{H2}$ , where

dT/dx = Temp rise along cable, K/m

 $W_T$  = Thermal in-leak per unit Length

 $\rho = H_2$  Density

 $v = H_2$  Flow Rate

 $C_P = \overline{H}_2$  Heat Capacity

A = Cross-sectional area of H2 cryotube

	K/10km				
Radiative	Friction	ac Losses	Conductive	Total	dT/dx
1.8	3.2	1	1	7	10-2


### SuperCable H<sub>2</sub> Storage

Some Storage Factoids	Power (GW)	Storage (hrs)	Energy (GWh)
TVA Raccoon Mountain	1.6	20	32
Scaled ETM SMES	1	8	8

One Raccoon Mountain = 13,800 cubic meters of LH2


LH<sub>2</sub> in 45 cm diameter, 20 km bipolar SuperCable


= Raccoon Mountain




 $\rm H_2$  Gas at 77 K and 1850 psia has 50% of the energy content of liquid  $\rm H_2$  and 100% at 6800 psia


### "Hybrid" SuperCable








### Al-Can Gas Pipeline Proposals



### Mackenzie Valley Pipeline

1300 km 18 GW-thermal

### LNG SuperCable




### **Electrical Issues**

- Voltage current tradeoffs
  - "Cold" vs "Warm" Dielectric
- AC interface (phases)
  - Generate dc? Multipole, low rpm units (aka hydro)
- Ripple suppression
  - Filters
- Cryogenics
  - Pulse Tubes
  - "Cryobreaks"
- Mag Field Forces
- Splices (R = 0?)
- Charge/Discharge cycles (Faults!)
- Power Electronics
  - GTOs vs IGBTs
  - 12" wafer platforms
  - Cryo-Bipolars

### Construction Issues


- Pipe Lengths & Diameters (Transportation)
- Coax vs RTD
- Rigid vs Flexible?
- On-Site Manufacturing
  - Conductor winding (3-4 pipe lengths)
  - Vacuum: permanently sealed or actively pumped?
- Joints
  - Superconducting
  - Welds
  - Thermal Expansion (bellows)

### SuperCable Prototype Project




"Appropriate National Laboratory" 2005-09


### Regional System Interconnections




### China: Present



### China: 2015 - 2020








# Postcard from China Helping to Promote US - Chinese Relations

Glad you're not here, Dr. Grant & Friend

Stone Forest Yunan Province, PRC June, 2004



## Will China Build the World's First SuperGrid?